Learning to Live with Chronic Obstructive Pulmonary Disease (COPD)

A workbook for patients, families, and caregivers

This Workbook Belongs To:

Today, I am taking action to get my COPD under control.

Setting Goals

You may be surprised by how much your day-to-day activities can improve when your COPD is under control. Write down some activities or hobbies you would like to do but feel you cannot because of your COPD. Sample goals may be to have less symptoms, be more active, or feel more comfortable leaving the house while using oxygen.

What are my goals?

Use the information in this workbook to start the conversation with your loved ones and healthcare team.

The information in this workbook does not replace the medical advice of your healthcare provider. Always consult your healthcare provider about your health questions or concerns.

This publication was supported by the Centers for Disease Control and Prevention of the U.S. Department of Health and Human Services (HHS) as part of a financial assistance award totaling \$400,000 with 100 percent funded by CDC/HHS. The contents are those of the author(s) and do not necessarily represent the official views of, nor an endorsement, by CDC/HHS, or the U.S. Government.


Contents

Chapter 1: COPD Basics and Breathing Exercises		7
Learn about COPD		
Breathing Exercises		
Chapter 2: Partnering with your COPD Healthcare Team		-11
Members of Your COPD Healthcare Team		•••
Tools to Communicate with Your Healthcare Team	13	
Chapter 3: Treating COPD	••••••••••••••••••	. 15
Medications	15	
Medication Delivery Devices	18	
Supplemental Oxygen	21	
How To Use Supplemental Oxygen Safely	23	
Additional Treatment Options for COPD	24	
Chapter 4: Managing COPD	•••••••••••••••••••	.25
Pulmonary Rehabilitation		
Quit Smoking and Vaping		
Prevent Infectious Lung Diseases		
Prepare for Disasters and Emergencies		
Travel Tips		
Cope with Your Emotions		
Manage Stress		
Chapter 5: Nutrition and Physical Activity	••••••	.37
COPD and Nutrition		
Weight Management		
COPD and Physical Activity		
Chapter 6: Living Well with COPD		43
Set Goals for Activities		
Your Support Team		
Chapter 7: Airway Clearance Techniques	•••••	. 51
Chapter 8: Planning for the Future		94
Advanced Care Planning		
Supportive Care	54	
Chapter 9: Understanding COPD Exacerbations	•••••	56
Zones of the COPD Action Plan	56	
Chapter 10: American Lung Association Resources, Programs and Tools		60

Introduction

Your lungs are part of the respiratory system, a group of organs and tissues that work together to help you breathe. The respiratory system's main job is to breathe in oxygen deep into your lungs and exhale carbon dioxide. You need oxygen to fuel every organ in your body.

Carbon dioxide is a waste product your body makes when it uses up oxygen and is removed when you exhale or breathe out. Your lungs, airways, and diaphragm work together to keep your body supplied with oxygen and remove carbon dioxide.



Use the camera on your smartphone or tablet to read a QR code:

- Open the camera, then point the camera on the phone so that the code appears on the screen.
- Tap the notification that appears on the screen to go to the website or video.



My COPD Healthcare Information

Keep track of your healthcare providers and important members of your healthcare team.

Primary Care Provider Name	Address	Phone Number
Nurse Advice Helpline	Address	Phone Number
Pulmonologist Name	Address	Phone Number
Pharmacy Name	Address	Phone Number
Oxygen Supplier	Address	Phone Number
Durable Medical Equipment Company	Address	Phone Number
Pulmonary Rehabilitation Center	Address	Phone Number
Emergency Contact	Address	Phone Number

Medical Insurance Information

Insurance Provider	ID Number	Phone Number
Prescription Card Provider	ID Number	Phone Number

Chapter 1: COPD Basics and Breathing Exercises

Chronic obstructive pulmonary disease or COPD is a lifelong lung disease that causes air flow limitation and breathing-related symptoms.

Learn about COPD

When you have air flow limitation, it means less air flows in and out of your lungs. As it becomes harder to get air in and out of your lungs, you may have more symptoms like coughing, mucus production, wheezing, fatigue or tiredness and shortness of breath. There are two main types of COPD:

• **Emphysema** damages your lung tissue and destroys the tiny air sacs or alveoli. Over time, this damage causes the air sacs to break and create one big air pocket instead of many smaller ones.

When the air sacs lose their elasticity and break, the big air pocket traps stale air in the damaged tissue and stops oxygen from moving efficiently through the bloodstream. This means the organs in your body are not getting enough oxygen.

• **Chronic Bronchitis** is when the larger airways in your lungs, called the bronchi, become inflamed and mucus builds up in the airways. As the airways become inflamed or swollen, it is harder for air to get into your airways.



Scan the QR code to view the video COPD: Emphysema and Chronic Bronchitis

Causes and Risk Factors

Anyone can develop COPD, but some people are more likely to. If you currently smoke, have a smoking history, and are forty years old or older, then you have the greatest risk. You may have more than one risk factor for COPD.

Causes and risk factors include:

- Smoking or having a smoking history
- Age
- Workplace or occupational exposures to dust, chemicals, fumes, and vapors
- Smoke exposure from a coal or wood burning stove
- Alpha-1 antitrypsin deficiency
- History of childhood lung infections
- Secondhand smoke exposure
- Exposure to indoor and outdoor air pollution

Symptoms

Symptoms are felt and not measured. Not everyone living with COPD has the same symptoms and you may find some symptoms of COPD are more bothersome to you than they are to others.

Symptoms that you may experience include:

- A chronic or lingering cough
- A cough that brings up sputum (phlegm or mucus)
- Shortness of breath (dyspnea)
- Wheezing or chest tightness
- Fatigue or tiredness
- Repeated chest infections like bronchitis or pneumonia

Talk to your healthcare provider if you feel that your symptoms are getting worse, you are developing new symptoms, or you are having a harder time doing your everyday activities and staying active.

Diagnosis

If your healthcare provider suspects COPD, they will review your symptoms, risk factors for COPD, conduct a health and family history, and perform a physical exam. To diagnose COPD, your healthcare provider will need to review the results of your spirometry test.

Medical procedures and tests

There are many tests and procedures to help get a better picture of your lungs and how well they work. Your provider may also order lung function tests and procedures to monitor your COPD progression and response to treatment.

- **Pulmonary function tests** measure your ability to move air in and out of your lungs. Spirometry is one example of a pulmonary function test. Spirometry measures the amount and speed of the air you blow out and the results of this test can diagnose COPD.
- Alpha-1 antitrypsin testing (AAT) is a blood screening test to check the level of alpha-1 antitrypsin in your body. The results of this blood test can determine if you have alpha-1 antitrypsin deficiency. If you do, that will need to be treated along with your COPD symptoms.
- Chest X-ray is an imaging test that can show visual changes to your lungs.
- **CT scan** is an imaging test that can show signs of emphysema or chronic bronchitis as well as progression of the disease.
- Oximetry or arterial blood gas test (ABG) measures the oxygen levels in your blood and helps determine if you would benefit from using supplemental oxygen.
- **Pulmonary exercise tests** measure how well your lungs work when active. A six-minute walk test can measure how far you can walk at your own pace in six minutes. It can also check for how much oxygen you may need with activity.





COPD Stages

These four stages of COPD help your healthcare provider determine the best treatment options for you:

- Mild
- Moderate
- Severe
- Very Severe

To determine which stage your COPD is, your healthcare provider will look at your spirometry test results, risk or history of exacerbations, symptoms, and your other health conditions.

Other Health Conditions

While this workbook focuses on living with COPD, you may also be diagnosed with other diseases. Healthcare providers refer to this as having co-morbid conditions, meaning you are living with two or more chronic diseases. **Put a checkmark next to the other health conditions you are living with:**

	sthma
🗆 Lu	ung cancer
🗆 SI	leep apnea
ΠH	eart disease
	iabetes
	epression
	nxiety
	rthritis

It is important to manage and treat all your chronic health conditions, not just COPD.

Tell your healthcare providers about all your medical conditions. Your healthcare provider and pharmacist will review your COPD medications and treatment options to ensure these treatments will not interfere with the treatments of your other health conditions.

Breathing Exercises

A helpful way to manage shortness of breath is to learn and practice breathing exercises. These help you get more oxygen into your lungs and calm you down so you can better control your breathing.

Pursed Lip Breathing

Pursed lip breathing helps keep the airways open longer so that you can remove some of the air that is trapped in your lungs. This slows down your breathing rate to help relieve your shortness of breath.

Let's practice this breathing exercise:

- Sit down in a chair and relax your neck and shoulder muscles.
- Breathe in slowly through your nose, making sure to keep your mouth closed. You may find it helpful to count to yourself, "inhale, one, two."
- Pucker or "purse" your lips as if you were going to whistle or blow out a candle.
- Breathe out, or exhale, the air in your lungs through your mouth slowly and through pursed lips. Try to breathe out longer than you inhale. You may find it helpful to count to yourself, "exhale, one, two, three, four."

Talk to your healthcare provider about when and how often you should practice breathing exercises.

Scan the QR code for the Pursed Lip Breathing demonstration video





Scan the QR code to view the Belly Breathing demonstration video



Chapter 2: Partnering with your COPD Healthcare Team

Your healthcare team may include a variety of providers, specialists and support staff who work alongside you to find the best treatment and management options for your COPD.

Members of Your COPD Healthcare Team



A **respiratory therapist** can help with COPD education and perform lung function tests.

You may also work with a respiratory therapist in a pulmonary rehabilitation center. A **pulmonologist** is a lung specialist who can create a treatment plan and monitor your COPD. You may see a pulmonologist if your COPD is in an advanced stage, or you are having trouble controlling symptoms.

When to see your provider:

You may need to see your pulmonary doctor two times a year, but it could be more if your COPD is getting worse or you have symptoms that are hard to control. A **primary care provider** may see you at regular visits and monitor your COPD.

When to see your provider:

You should see your primary care provider at least two times a year but it may be more often if you have other health conditions.

Other members of your healthcare team may include:



- Pharmacists
- Occupational
 therapists
- Physical therapists
- Internists
- Nutritionists or dietitians

- Mental health counselors, social workers, or psychologists
- Spiritual advisors
- Oxygen suppliers
- Durable medical equipment providers
- Caregivers, family, or friends involved in your care

Medical Expenses and Financial Assistance

COPD medications and treatment can be expensive. If you are concerned about the cost of treating or managing COPD, talk to your healthcare provider.

Ask your healthcare provider about cost-cutting options like:

- Switching medications to less expensive but equally effective options.
- Eligibility requirements for prescription assistance programs through pharmaceutical companies, pharmacies, and non-profits that provide access to free or low-cost medications.
- Medications that are better covered under your insurance.
- Accessing quality and affordable health insurance at reduced rates.

Questions I have for my healthcare provider about options to reduce the cost of my COPD care:


You can also contact the Lung HelpLine at 1-800-LUNG USA to learn more about signing up for health insurance and finding financial assistance programs.

Tools to Communicate with Your Healthcare Team

Effective communication with your healthcare providers involves sharing your goals, concerns, and questions. It also involves listening to your healthcare provider and speaking up when things stop making sense.

COPD Action and Management Plan

The COPD Action Plan is a personalized worksheet that is filled out by you and your healthcare provider. You should keep a copy of the action plan where you can see it, like on your refrigerator.



A tear-out version of this form can be found in the resources section

Chapter 2: Partnering with your COPD Healthcare Team

Before you go to your next appointment, write down what you would like to discuss with your healthcare provider. This may include questions about your medications, COPD triggers, symptoms, or treatment options.

pointment Information Coughing Feeling nervous wider Name: Coughing Rapid heartbeat e: Wheezing Head/nose stopped up tress: Unable to exercise Restlessness isson for Visit: Phone: Peeling tired me: Phone: Providers I Am Seeing Stroking chin or throat me: Phone: Dry mouth Increased use of quick-relief inhale me: Phone: Other: Other: waking up at night Other: Other: Other:	Couping Feeling nervous	American Lung Association.	Gettin Office		for Your Next	symptoms I Have Been Experience	bing
wider Name: e: e: itess: ison for Visit: her Healthcare Providers I Am Seeing me: Phone: ison to see this healthcare provider: Phone:	m Seeing Phone: Phone:	pointment Information				Coughing	Feeling nervous
e:	m Seeing	vider Name:					
iress: Unable to exercise Restlessness son for Visit:	m Seeing Phone:	Ð:				Wheezing	Head/nose stopped up
son for Visit:	Phone:	ress:					
weiter resulticate Provider's FAIL Seeing Phone:	Phone: Phone: <td< td=""><td>son for Visit:</td><td></td><td></td><td></td><td></td><td></td></td<>	son for Visit:					
Provide:: son to see this healthcare provider: pe: pe: phone: son to see this healthcare provider: pe: provide:: provide:: <		ner Healthcare Providers I	Am Seeing				
son to see this healthcare provider:Phone:	Phone: Phone:Phone:Phone:Phone: Making up at night Other:Other: Waking up at night Other: Waking up at night Other: Waking up at night Other:				hone:		
xx							· · · · · · · · · · · · · · · · · · ·
ne:Phone:	Phone: Inter Medicines and Supplements Dose Frequency Prescribed/Recommended by Additional Concerns and Questions Image: I do to relieve these symptoms: Additional Concerns and Questions Image: I do to relieve these symptoms: Additional Concerns and Questions Image: I do to relieve these symptoms: Additional Concerns and Questions Image: I do to relieve these symptoms: Additional Concerns and Questions Image: I do to relieve these symptoms: Additional Concerns and Questions Image: I do to relieve these symptoms: Additional Concerns and Questions Image: I do to relieve these symptoms: Additional Concerns and Questions Image: I do to relieve these symptoms: Additional Concerns and Questions Image: I do to relieve these symptoms: Additional Concerns and Questions Image: I do to relieve these symptoms: Additional Concerns and Questions Image: I do to relieve these symptoms: Additional Concerns and Questions Image: I do to relieve these symptoms: Image:				none:		
vscribed and Over-the-Counter Medicines and Supplements Name of Drug/Supplement Dose Frequency Prescribed/Recommended by Vhen the symptoms begin:	Nose Frequency Prescribed/Recommended by Additional Concerns and Questions Additional Concerns and Questions Image: A start and the symptome begin:				Phone:	low frequently these symptoms occur:	
esscribed and Over-the-Counter Medicines and Supplements Name of Drug/Supplement Dose Frequency Prescribed/Recommended by Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Image: I do to relieve these symptoms:	nter Medicines and Supplements Dose Frequency Prescribed/Recommended by Image: I do to relieve these symptoms: Inditional Concerns and Questions Image: I do to relieve these symptoms: Inditional Concerns and Questions Image: I do to relieve these symptoms: Inditional Concerns and Questions Image: I do to relieve these symptoms: Inditional Concerns and Questions Image: I do to relieve these symptoms: Inditional Concerns and Questions Image: I do to relieve these symptoms: Inditional Concerns and Questions Image: I do to relieve these symptoms: Inditional Concerns and Questions Image: I do to relieve these symptoms: Inditional Concerns and Questions Image: I do to relieve these symptoms: Inditional Concerns and Questions Image: I do to relieve these symptoms: Image: I do to relieve these symptoms: Inditional Concerns and Questions Image: I do to relieve these symptoms: Image: I do to relieve thes	ason to see this healthcare provide	r:			Vhen the symptoms begin:	
Name of Drug/Supplement Dose Frequency Prescribed/Recommended by Image: Additional Concerns and Questions Image: Additional Concerns and Questions Image: Additional Concerns and Questions Image: Additional Concerns and Questions Image: Additional Concerns and Questions Image: Additional Concerns and Questions Image: Additional Concerns and Questions Image: Additional Concerns and Questions Image: Additional Concerns and Questions Image: Additional Concerns and Questions Image: Additional Concerns and Questions Image: Additional Concerns and Questions	Dose Frequency Prescribed/Recommended by dditional Concerns and Questions land land land	escribed and Over-the-Co	unter Medici	nes and Supple	ments		
lext Steps		Name of Drug/Supplement	Dose	Frequency	Prescribed/Recommended by		
lext Steps						Additional Concerns and Questio	ns
	Phone:						
	Phone:						
lotes from my healthcare provider:	Phone:					lext Steps	
	Phone:					lotes from my healthcare provider:	
	Phone:			<u>.</u>			
ests to schedule:	last appointment (Day/Tima)-				÷	ests to schedule:	
e of My Pharmacy:Phone:	lext appointment (Day/Time):	ne of My Pharmacy:			Phone:		
1-800-LUNGUSA Lung.org						lext appointment (Day/Time):	
- American						Lung	1-800-LUNGUSA Lung

A tear-out version of this form can be found in the resources section

Chapter 3: Treating COPD

There is no cure for COPD, but treatment options may help you control symptoms, slow the progression of the disease, lower your risk of exacerbations or flare ups, and help you stay active.

Medications

Medication is often the first treatment prescribed by your healthcare provider. The type of medication you are prescribed is determined by your COPD stage, symptoms, risk for COPD exacerbations or flareups and if you have other chronic health conditions.

Types of Medications

Quick relief (or short-acting) medicine

Purpose: This type of medication works quickly and should be taken when you have symptoms like shortness of breath or a cough.

How they work: Relaxes the muscles that tighten around your airways and helps you breathe easier.

Key points:

- Short-acting medicine can come in the form of an inhaler or a solution for a nebulizer.
- This is a medicine you breathe in, so it works quickly.
- Use this medication if you are having more symptoms, a COPD flare up or an exacerbation.
- You should only use it as needed or as prescribed by your healthcare provider.
- You should **always** carry this medicine with you.
- This medicine may be called a "rescue" medicine.

A COPD flare up or exacerbation happens when your symptoms become worse and may be more severe. This requires additional treatment and may require medical attention to help get your COPD back under control.



Daily (or long-acting) medicine

Purpose: You should take this medicine every day, even when your COPD is under control, and you feel well.

How they work: There are different types of long-acting medications. Depending on the type of medication you are prescribed, the long-acting medication will work to reduce the swelling or inflammation in your airways or prevent the muscles in the airways from tightening and help clear the mucus in your airways.

Key points:

- Long-acting medicine can come in the form of an inhaler or a solution for a nebulizer.
- This medicine will not provide immediate relief during a COPD flare up or exacerbation.
- This medicine must be taken everyday, even when you feel well, to keep your COPD under control.
- If your inhaler contains a steriod, make sure you rinse your mouth out after use to avoid getting thrush.
- You may also call this a "controller" or "maintenance" medication.

Combination medicine

Purpose: You should take this medicine everyday, even when your COPD is under control, and you feel well.

How they work: This type of medication includes multiple medications in one treatment. Combination medication may be an option if you have hard to manage symptoms and are more at risk of COPD exacerbations or hospitalization.



Key points:

- This medicine must be taken everyday, even when you feel well, to help keep your COPD under control.
- o This medicine includes two or three medications in one treatment.
- Each combination of medicine works differently. You should talk to your healthcare provider about the type of medicines you are taking and how often you should take them.

Antibiotics and Corticosteroids

You may also be prescribed an antibiotic or corticosteroid (steroid) when you are experiencing a COPD flare up or exacerbation. An antibiotic is often given if you have a bacterial infection. You need to take the entire antibiotic course because stopping early may allow the infection to come back or become harder to treat in the future.

A corticosteroid helps reduce inflammation or swelling in your airways. Antibiotics and steroids both have possible side effects. You should talk to your healthcare provider about managing possible side effects.

My Medication Tracker

Keep a list of all your medications, vitamins, and supplements to help you stay organized. Bring a copy of your medication tracker to your medical appointments to review with your healthcare provider.

For your COPD medications, write down which medications you use when your symptoms get worse and which medications you take every day. It's also important to share with your provider how often you don't take your daily medications and the reasons why, so you can work together to come up with solutions to help you stay on track.

America Lung Associa	an tion.	м	edicatio	n Tracke	r		
Name of Medication	What Is This Medication For?	Date Prescribed	Doctor That Prescribed Medication	How Much? (dose)	How Often?	Directions For Taking Medication	Side Effects

A tear-out version of this multi-page form can be found in the resources section

If you have questions about which medication is a quick relief or daily medication, how often or when to take your COPD medication, talk to your healthcare provider or pharmacist. You can also speak with a Lung Health Navigator at the Lung HelpLine by calling **1-800-LUNG USA**.

Medication Delivery Devices

For your COPD medication to work, you need to get the medicine deep into your lungs. To do this, your medication delivery device must be used correctly.

If you feel like your COPD medicine is not working the way it should, ask your healthcare provider to watch you take it to make sure you are taking your medication correctly.

Device Demonstration Videos and Instructions:

Watch videos and get downloads to help you manage your COPD.



How-to-videos and step-by-step downloadable instructions for medication delivery devices include:

- o Inhaler with spacer or valve holding chamber
- o Inhaler without a spacer or valve holding chamber
- o Nebulizer
- o Ellipta Dry Powder Inhaler
- o Pressair Device
- o Respimat Soft Mist Inhaler
- o RespiClick Dry Powder Inhaler
- o Diskus Dry Powder Inhaler

Using your medication delivery device correctly means:

- Taking the right medication
- + In the right dose
- + At the right time
- + With the right technique.




Downloadable step-by-step instructions



American Lung Association.

How to Use a Metered-Dose Inhaler without a Valved Holding Chamber or Spacer

Prime a brand-new inhaler: Before using it for the first time, if you have not used it for more than 7 days, or if it has been dropped.



Proper inhalation technique is important when taking your medicine(s) and monitoring your breathing. Make sure to bring all your medicines and devices to each visit with your primary care provider or pharmacist to check for correct use, or if you have trouble using them.

For more videos, handouts, tutorials and resources, visit Lung.org.

Scan the QR Code to access How-To Videos



You can also connect with a respiratory therapist for oneon-one, free support from the American Lung Association's Lung HelpLine at **1-800-LUNGUSA**.

©2022 American Lung Association. All rights reserved. (SEP 2022)

American Association

How to Use a Metered-Dose Inhaler with a Valved Holding Chamber (Spacer)

Prime a brand-new inhaler: Before using it for the first time, if you have not used it for more than 7 days, or if it has been dropped.



- Shake inhaler 10 seconds.
- 2. Take the cap off the inhaler and valved holding chamber. Make sure the mouthpiece and valved holding chamber are clean and there is nothing inside the mouthpieces.
- 3. Put inhaler into the chamber/spacer.



- 4. Breathe out away from the device.
- 5. Put chamber mouthpiece in mouth.
- 6. Press inhaler once and breathe in deep and
- 7. Hold your breath for 10 seconds, then breathe

If you need another puff of medicine, wait 1 minute and repeat steps 4-7.

8. Rinse with water and spit it out.

Proper inhalation technique is important when taking your medicine(s) and monitoring your breathing. Make sure to bring all your medicines and devices to each visit with your primary care provider or pharmacist to check for correct use, or if you have trouble using them.

For more videos, handouts, tutorials and resources, visit Lung.org.

Scan the QR Code to access How-To Videos



You can also connect with a respiratory therapist for oneon-one, free support from the American Lung Association's Lung HelpLine at 1-800-LUNGUSA.

^{©2022} American Lung Association. All rights reserved. (SEP 2022)

Chapter 3: Treating COPD

Supplemental Oxygen

Oxygen is a medication that is prescribed by your healthcare provider. Supplemental oxygen or oxygen therapy is not addictive.

There are many benefits to using supplemental oxygen. It will help you stay active, improve your shortness of breath, and increase your oxygen level to help keep every organ in your body healthier.

Types of Oxygen Delivery Devices

Home concentrators draw in air from your surroundings, remove other gases and deliver purified oxygen. Home oxygen concentrators can deliver oxygen continuously (at a steady rate) and require a power source to operate.

Portable oxygen concentrators (POC) work like a home concentrator but are smaller and more portable. POCs are powered by being plugged into an outlet or using rechargeable batteries. They can also deliver oxygen continuously or through a pulse dose.

Oxygen tanks are metal cylinders that store compressed oxygen. The tanks come in different sizes and the smaller the tank, the less oxygen it can hold. Oxygen tanks do not run on electricity or a power source and will need to be refilled or replaced.

Liquid oxygen is oxygen that is compressed and cooled at a very low temperature. Most liquid oxygen systems provide a high concentration of oxygen and do not require electricity. Liquid oxygen usually has both a stationary storage unit and a portable container. It may not be available in all areas of the United States. Talk to your healthcare provider and your oxygen supplier to see if this may be an option.

Supplies needed to use supplemental oxygen include tubing, a nasal cannula or face mask. Oxygen tubing connects your cannula or mask to your oxygen tank or concentrator. A nasal cannula has prongs that fit into your nostrils and helps you breathe in the oxygen. Alternatively, a face mask can be placed over your mouth and nose and holds available oxygen as you take each breath.









A **pulse oximeter** or pulse ox is an electronic device that measures the saturation of oxygen carried in your red blood cells. A pulse oximeter is a simple, quick, and safe way to monitor oxygen levels. If you have poor circulation, thick skin, or a darker skin tone there may be inaccurate or inconsistent results.

Chapter 3: Treating COPD



Talk to your healthcare provider about how to monitor your oxygen levels using a pulse oximeter and when to share abnormal or inconsistent readings.

My Oxygen Prescription

Type of oxygen equipment I use:

When do I use it?

0	At rest	_flow rate
0	With activity	_flow rate
0	At night	_flow rate
0	At altitude	flow rate

How am I monitoring my oxygen levels?

What is my back up plan if I lose electricity?

Name and phone number for information for the following:

- Power or electric company ______
- o Police _____
- o Fire _____
- Oxygen supplier or durable medical equipment provider ______

Instructions for cleaning and replacing tubing, nasal cannula or face mask:

Instructions for when and how to clean my oxygen concentrator or tank:

Questions I have about using or maintaining my oxygen equipment:

How To Use Supplemental Oxygen Safely

Oxygen is a safe gas and is non-flammable, however it supports combustion. Always follow the safety instructions from your oxygen supplier and do not change your oxygen flow rate without talking to your healthcare provider.

Keep Away from Heat and Flame

- Don't smoke or allow others to smoke near you. Post "No Smoking" signs in and outside your home.
- Keep sources of heat and flame at least five feet away from where your oxygen unit is being used or stored.
- While using oxygen, do not cook with gas or use any electrical appliances like hair dryers, curling irons, heating pads or electric razors.

Do Not Use Aerosols, Vapor Rubs or Oils

- Don't use aerosol sprays such as air fresheners or hairspray near the oxygen unit. Aerosols are very flammable.
- Use water-based lotions or creams. Avoid using vapor rubs, alcohol-based hand sanitizer, petroleum jelly or oil-based hand lotion. Never use your oxygen equipment with oily or greasy hands.

Store Oxygen Safely

- Always turn off your oxygen equipment when it is not in use. Store oxygen concentrators upright and tanks in a holder or lying down to avoid getting knocked over.
- Don't store your oxygen equipment in an enclosed space, like a closet or trunk, and keep your oxygen concentrator several inches away from walls or curtains.
- Be careful not to trip over the tubing. Never cut your tubing or use more than a 50-foot-long piece.
- Never use an extension cord to plug in your concentrator or plug anything else into the same outlet.

Be Prepared

- Always have a functioning fire extinguisher and smoke alarm.
- Have backup equipment like a large oxygen tank and tell your electric company, police, and fire departments that you use oxygen equipment at home. In case of power outages, consider buying a backup generator. Ask your neighbors to check in on you if there is a power outage.
- Monitor the gauges on your oxygen equipment and give your oxygen supplier plenty of time to deliver refills.







Chapter 3: Treating COPD

Additional Treatment Options for COPD

As COPD progresses, you may find your current treatments no longer work as effectively and you have more symptoms. Talk to your healthcare provider because there may be other treatment options for you to consider.

Clinical Trials

Clinical trials are carefully monitored research studies that try to find ways to prevent, screen for, diagnose or treat COPD. You may have new options available for treatment of your COPD by enrolling in a clinical trial.

Complementary Care

Yoga, massage, or acupuncture are considered complementary care techniques and may improve symptoms and quality of life. Complementary care should not replace the treatments prescribed by your healthcare provider and should be discussed with your healthcare team as part of your overall approach to COPD management.



Non-invasive Ventilation

Non-invasive ventilation may be a treatment option if you have higher levels of carbon dioxide building up in your blood, and you have a history of being hospitalized because of acute respiratory failure. This can be used at home to help you breathe easier.

Surgery

In some situations, your healthcare provider may suggest a surgical treatment option such as bullectomy, lung volume reduction surgery or a lung transplant.

Endobronchial Valve Therapy (EBVs)

EBVs are a non-surgical treatment option if you are living with severe COPD and emphysema. EBVs are removable, one-way valves that reduce lung hyperinflation by allowing the trapped air in your lungs to escape.



Scan the QR code to **take the quiz** to see if endobronchial valve therapy is a treatment option for you.

Chapter 4: Managing COPD

Along with medication and other treatment options, there are lifestyle changes that can help you stay active and improve your quality of life.

Pulmonary Rehabilitation

Pulmonary rehabilitation (rehab) is a program that combines education and exercise to increase your level of activity and knowledge about how to manage your COPD. Besides supervised exercises, meeting new people and education, you can also receive information about breathing techniques, nutritional counseling, and emotional health.

Benefits of Pulmonary Rehab:

- Strengthens your muscles
- Helps you safely begin to exercise and be more active
- Helps you breathe better
- Improves your quality of life

Pulmonary rehab includes a team of doctors, respiratory therapists, nurses, exercise specialists and dietitians, who work with you to create an individualized program to meet your needs. The classes are offered in small groups so you can get to know other people living with COPD and other lung diseases.

Pulmonary Rehab and Me

Check off the boxes that best describe your goals for attending pulmonary rehab.

- □ Learn breathing exercises for shortness of breath
- □ Learn ways to recognize, prevent and treat COPD exacerbations or flare ups
- □ Exercise safely and stay active
- □ Understand ways to conserve energy while doing daily activities like cooking or bathing
- □ Take medications correctly
- Manage changes in my mood or emotions (anxiety, panic, and depression)
- □ Reduce my symptoms

Get Started with Pulmonary Rehab

The first step toward breathing better is talking to your healthcare provider to determine if pulmonary rehab is right for you. Your healthcare provider can write a referral to a program near you.

Contact your health insurance provider to check your benefits and see if you have any out-of-pocket costs.

To find a listing of the pulmonary rehabilitation centers in your state, visit aacvpr.org/Program-Directory.

- □ Learn new ways to deal with stress
- Eat healthier
- □ Clear the mucus out of my lungs
- □ Use supplemental oxygen
- Quit smoking and vaping tobacco products
- □ Meet other people living with COPD
- Other
- □ Other_____
- Other

Quit Smoking and Vaping

If you currently use tobacco products, including e-cigarettes, quitting is the most important step you can take to improve your health. It is never too late to quit using tobacco or vaping.

Benefits to Quitting Tobacco Use:

- Your COPD may progress more slowly.
- Your COPD medications will work better to control your symptoms.
- You may have fewer COPD flare ups or exacerbations.
- You will breathe easier.
- You will lower your risk of developing other health conditions like lung cancer or heart disease.
- You will save money.
- Food will taste better.
- Your car and house will smell better.
- Your friends and family will not be exposed to secondhand smoke and secondhand aerosol.

My Motivations and Reasons to Quit:

Find Your Triggers

One of the first steps for making a quit plan is to understand your triggers to smoke or vape. A trigger is a situation, event, feeling, or behavior that gives you the urge to use tobacco.

Find your triggers by looking at your smoking and vaping patterns. **Think about the times of day you use tobacco. Circle what triggers you to use tobacco and fill in other triggers that are not listed:**

Waking up in the morning	Driving
Eating or drinking	Needing to calm down or feeling agitated or
Boredom	nervous
Strong emotions or feelings like anger, sadness, or Ioneliness	
Being around other people who use tobacco	
Having happy feelings	



Develop a Quit Plan

Congratulations on taking the first step to quitting smoking and vaping! Before you set your quit day, you should talk to your healthcare provider about your desire to quit use of all tobacco products. During your conversation:

- Discuss your quit day
- Ask about medications or using nicotine replacement therapy
- Explore available quit programs
- Talk about strategies for handling urges to smoke or vape
- Understand the types of withdraw symptoms you may experience

You will also want to talk to your family and friends about your decision to quit tobacco use. Now is a good time to ask them to be supportive and encouraging. As you begin your quit journey, there may be slips or times you use a tobacco product. Do not give up!

Find Support

You do not have to quit tobacco use alone. There are support programs and resources to help you along your journey and when you join a research-based program your chances of quitting for good are greatly increased.

Local Support

Contact your local county health department or hospital and ask about smoking or tobacco cessation programs in your area.

Quit Now

The CDC's 1-800-QUIT NOW is a nationwide portal to a network of each state's quitline. The quitlines offer services like cessation counseling, referrals to community programs, and access to free medication for people who want to quit smoking.

American Lung Association

The Lung Association's Freedom From Smoking®(FFS) program offers in person, online, telephonic, and selfguided support to help you quit tobacco use.

You can contact the Lung HelpLine at 1-800-LUNG USA to speak with a Certified Tobacco Treatment Specialist. A motivational texting program is also available for all people enrolled in an American Lung Association Freedom From Smoking program.

In addition to the resources listed above, the Lung Association also has the **Quit Now: Freedom From Smoking Inspire Support Group and Discussion Community**. This is a support group for people who wish to connect with other quit journey participants and get support in their quit.

Questions for my healthcare provider about quitting tobacco use:

Prevent Infectious Lung Diseases

Infectious lung diseases can be serious and may cause your COPD symptoms to get worse. This could lead to a COPD flare up or exacerbation, and you may need to go to the emergency room or hospital for treatment.

The following vaccines are recommended for you:

- Influenza (flu) every year
- □ COVID-19 as new vaccines are recommended
- D Pneumococcal pneumonia
- □ Tdap to protect against pertussis (whooping cough)
- RSV (respiratory syncytial virus) if you are 60 or older, using shared clinical decision-making

Vaccinations are your best protection against vaccine-preventable infectious lung diseases. Talk to your loved ones, friends and family about getting vaccinated.

Use the QR codes to learn more about respiratory viruses and how vaccines play a role in preventing them.

Scan the QR code for the Understanding Respiratory Viruses video Scan the QR code to view the Vaccines Prevent Respiratory Diseases video





My Vaccination Tracker

Keep track of your vaccinations by filling in the tracker. There may be some vaccines that need more than one dose. Ask your healthcare provider when to schedule an appointment for the follow up dose.

Vaccine	Date Given	Schedule	Side effects
Influenza-flu	9/5/2023	Once a year	None noticed

Vaccines are safe and most people have little to no side effects. Always ask your healthcare provider any questions you have about the side effects, your concerns, benefits, or risks.

Avoid Germs

The germs that cause infectious lung diseases can be spread through coughing, sneezing, or touching objects or surfaces. While vaccines are the most effective way to reduce your risk of developing an infectious lung disease, there are other ways as well.

Being around other people who are sick- It is difficult to avoid germs when you are out in public. When possible, try to avoid crowded spaces or wear a mask that fits closely to your face during periods where there is lots of illness in your community.

Manage illness- If you are sick, stay home and cover your cough and sneeze into a tissue or your elbow. If other people in your home are sick, try to limit your contact with them as much as possible. Clean and disinfect frequently touched areas of your home such as door handles to prevent the spread of disease.

Clean your medication delivery devices- If you use a nebulizer, or an inhaler with a spacer, it is important to clean the face mask, spacer, or valve chamber. Each device should come with directions about how and when to clean and disinfect the product.

Wash your hands- Scrub your hands with soap and water for at least 20 seconds. Always wash your hands throughout the day, but it is especially important to do this when you are sick or around others who are sick. Dry your hands with a paper towel or clean towel.

Use hand sanitizer if you are not around soap or water. If you use supplemental oxygen, use water-based hand sanitizer.





Recognize and Control COPD Triggers

COPD triggers may be an item, activity or condition that makes your COPD symptoms worse. One important step to control your COPD is to recognize, reduce and avoid your triggers.

Put a check mark next to your COPD triggers and the ways you plan to reduce or avoid them.

□ Strong odors, chemicals, fumes, and smells

- □ Read the labels of products and use products with low volatile organic compounds (VOCs). Products with high VOCs will include words with "warning," "caution," or "danger."
- Avoid using products with strong odors, including room fresheners, incense, and perfumes. You may need to ask others around you to avoid using strong scents.
- □ Keep your area ventilated and use an exhaust fan if you must be around any chemical or strong odor.

□ Weather, pollen, and air pollution

- U Wear a mask or scarf loosely around your face when it is cold or windy outside.
- On days when it is hot and humid, use an air conditioner or go to a cooling center like a public library or community center.
- Check the pollen count and the air quality index. You can find the air quality index for your area at airnow.gov.
- Pay attention to air quality forecasts during wildfire season.

□ Smoke

- Plan to quit using tobacco (see page 26).
- Avoid secondhand smoke by asking others not to smoke around you. This includes cigarettes, pipes, vaping, e-cigarettes, marijuana, or any type of combustible device.
- Avoid using a wood burning or coal stove to heat your home unless it is an EPA-certified wood stove.
- Avoid using candles or incense in your home.
- Allow for air flow around fireplaces and vented appliances.
- Use the fan above your kitchen stove when cooking. This will vent the odors and particulates.

Chapter 4: Managing COPD	

. .

D Phy	vsical activity and exercise			
	Use oxygen and medication during activity if prescribed by your healthcare provider.			
	Use pursed lip breathing and take a break when needed.			
	Start slowly with a warmup.			
	Ask a friend or family member to exercise with you.			
	Join a pulmonary rehab group to learn ways you can safely increase activity levels.			
□ Infe	ectious lung diseases			
	Stay up to date on your vaccinations (see page 28).			
	Talk to your friends and family about getting vaccinated.			
	Wash your hands frequently and disinfect repeatedly touched places like the kitchen or bathroom.			
	Wear a mask when you are in high-risk areas like stores and when around people who are sick.			
🛛 Trig	□ Triggers:			

Prepare for Disasters and Emergencies

Emergencies and disasters can be scary. Create an emergency plan before disaster strikes. It will help give you peace of mind.



10 Ways to Prepare for a Disaster or Emergency

- **1.** Develop and communicate your emergency plan with your caregiver, family, and friends.
- 2. Keep written phone numbers of your support network, healthcare providers, pharmacy, home health agency, durable medical equipment company and oxygen supplier.
- **3.** Alert your power or electric company, police, and fire department about any medical equipment you have that needs power, like a CPAP or BiPAP machine, ventilator, oxygen concentrator or nebulizer.
- **4.** Plan for a power failure by always having car adapters and extra batteries for your nebulizer, CPAP or BiPAP machine and portable oxygen concentrator. Have back-up oxygen tanks in the event of a power outage.
- **5.** Keep your medical insurance cards and other important documents in one place where you can easily access them if you must relocate.
- 6. Install smoke and carbon monoxide alarms. Test monthly and replace the batteries at least twice a year.

- 7. Register for a special needs shelter or an emergency shelter in your area that can meet your medical needs. This may include electricity for medical devices or oxygen equipment, and air conditioning. Stay up to date with your vaccinations.
- 8. Consider purchasing products to assist you during emergencies. This may include a portable air cleaner ahead of wildfire season or a generator in case of a power outage. Often these items are out of stock during an emergency.
- **9.** Have a lung disease travel pack ready to go with your emergency preparedness kit. Keep a list of all medications you take, including extra medication. Include a copy of your COPD Action Plan.
- **10.** Learn more about the supplies for building an emergency kit at Ready.gov/Kit.

Travel Tips

COPD should not stop you from traveling and doing what you enjoy. Before you start planning your trip, talk to your healthcare provider about any of your concerns.

My COPD Travel Checklist

When you talk to your healthcare provider about your travel plans, share when and where you are going, for how long and your travel methods. Your healthcare provider may order tests to determine if you may need supplemental oxygen while traveling.

Planning

- Talk to the hotel ahead of time. Verify they have elevators, discuss your oxygen needs, ask about onsite assistance with carrying luggage or any room accommodations you may need during your travel.
- Discuss with your healthcare provider if you have concerns about altitude during your flight or if you are visiting a destination with a higher altitude. Often, high altitude means there is thinner air or less oxygen. This may mean you need to adjust your oxygen levels.
- Depending on your traveling method, you may need to have your healthcare provider submit a letter stating you are safe to travel or complete additional paperwork.
- □ Coordinate the use of a wheelchair as appropriate.
- Have a travel partner or someone who can help you during your trip.
- □ Make a plan with your durable medical equipment company or oxygen supplier about any oxygen supply needs you will have as you travel.

Packing

- □ Pack any prescription or over-the-counter medications you take daily, or as needed, in your carry-on luggage. Include a copy of the prescription in case a refill is required.
- □ Pack extra batteries for your nebulizer or portable oxygen concentrator.
- □ Include important health insurance information.

	Leave make about two valing with oversen at Lung ave /oversen at talls to a	
Ш		

Learn more about traveling with oxygen at Lung.org/oxygen or talk to a Lung Health Navigator at 1-800-LUNG USA.

Cope with Your Emotions

Taking care of your emotional health is as important as caring for your physical health. Anxiety and depression are common comorbidities when you are living with COPD.

Recognize Signs of Anxiety, Panic and Depression

Everyone has feelings of sadness, fear and worry at times. But if you notice feelings do not go away after a few weeks, or you have trouble keeping up with everyday activities and enjoying life, then you may be experiencing symptoms of anxiety, panic, or depression.

- Anxiety is constant, debilitating worrying that may make it hard for you to do everyday activities.
- **Panic** is a sudden episode of intense fear or anxiety. This can cause shortness of breath, shallow breathing, and tense muscles.
- **Depression** is feeling down or sad and may cause you to have low energy levels, lose interest in activities you enjoy and withdraw from friends and family.

Dyspnea or Shortness of Breath Cycle

Having shortness of breath can lead to muscle tightness and shallow breathing. This may be a scary experience and as a result you may start to feel anxious. This anxiety can also worsen your shortness of breath. As a result, to avoid experiencing these feelings again, you may limit your activities. Using your pursed lip and belly breathing can help break the dyspnea cycle.

Questions or concerns I have for my healthcare provider about my emotional health or mood:



Anxiety and depression are serious and should not be ignored or left untreated. Talk to your healthcare provider about your feelings or changes in mood. There are several ways to treat anxiety and depression such as medications and counseling.

If you have thoughts of hurting yourself, talk to your healthcare provider right away or call the National Suicide Prevention Hotline at 1-800-273-8255. If you need immediate assistance, call 911 or go to your nearest emergency room.

Chapter 4: Managing COPD

Manage Stress

Stress is a part of life. While you cannot always control the stressor, you can control how you respond to it. One way to manage stress is to create a coping skills toolbox or a list of ways to help you manage your stress. There is not one magic coping skill, and you may need more than one.

My Coping Skills Toolbox

Check off the coping skills that you can add to your toolbox:

- Deep breathing exercises
- □ Take a break from what causes stress
- □ Exercise or physical activity
- □ Journal or write down your thoughts
- □ Take a walk
- □ Call a friend or family member
- □ Read
- □ Draw or create artwork

My Stressors

Write down a few things that are causing you stress. Use the coping skills above and write down the next time you get stressed and which coping skills you can try.

□ Cook

movie

□ Play a game on the computer or phone

Watch a funny or favorite television show or

Hobby: ______

Activity:

□ Other: _____

□ Other:

Stressor-I get stressed at the doctor's office when I must wait a long time for my appointment.

Coping Skill – When I go to the doctor's office, I could bring a book to read or crossword puzzle to keep me distracted.





Chapter 5: Nutrition and Physical Activity

You and your healthcare team can work together to find the right foods and activity plan to help you breathe better and have more energy.

COPD and Nutrition

Your body uses food as fuel for all activities- including breathing. Breathing requires more energy when you have COPD, and your muscles may need more calories.

Carbohydrates

Complex carbohydrates are found in whole-grain pasta, breads, fresh fruits, and vegetables. These foods also have vitamins, minerals and fiber that are important to your health.

Simple carbohydrates are found in sugars, candy, cake, and soft drinks. You should limit these carbohydrates.



Snack suggestion: 2 slices of whole-grain toast topped with ½ smashed avocado. Add seasoning for flavor.

Protein

Protein is found in foods like meats, eggs, milk, fish, cheese, nuts, Greek yogurt or dried beans. Eat at least two foods with protein each day.



Snack suggestion: ³/₄ cup greek yogurt, ¹/₂ cup fruit like blueberries or strawberries and ¹/₄ cup granola. Mix ingredients.

Fluids

Water not only keeps you hydrated, but it also helps to thin excess mucus in your lungs, making it easier to cough up. Plan to drink water throughout the day. You may want to keep a cup of water on your nightstand as well. Try sugar free, non-caffeinated beverages to help supplement water in your diet.

These are general nutritional guidelines for people living with COPD. Talk to your healthcare provider, nutritionist, or dietitian about your specific nutritional needs.

Types of Fats

There are several types of fats that can be found in food. Some fats may provide health benefits while other types you should eat sparingly.

Unsaturated fats

Unsaturated fats can be beneficial to your body. These types of fats are found mostly in plants, oils, nuts, and seeds.

Monounsaturated fats are found in different oils like peanut, olive or canola, avocados, certain nuts, and seeds.

Polyunsaturated fats can be found in sunflower, corn, soybean, and flaxseed oils, certain nuts, and seeds and fish.



Snack suggestion: ½ cup nuts like almonds, ¼ cup dried fruit like raisins and ¼ cup dried cereal (your choice).

Saturated fats

Saturated fat is found in many of the foods we eat including meats and dairy. These fats should be limited in your diet.

Saturated fat sources are found in pizza, cheese, butter, dairy desserts like ice cream, baked goods, many fast foods and meat products like beef.

Trans fat is found in many of the prepackaged, fast food or frozen foods you eat. Examples include fried food like French fries, cakes and other desserts, margarine, and frozen pizza.

If you find yourself short of breath while eating or right after your meals, try these tips:

- Rest before eating.
- Eat slowly and take smaller bites of food.
- Sit upright while eating.
- Take a break in between bites and practice pursed lip breathing.
- Eat more food early in the morning if you are usually too tired to eat later in the day.
- Avoid foods that cause gas or bloating.
- Eat 4 to 6 small meals a day. This helps your diaphragm move freely, and your lungs fill with air and empty out more easily.
- If drinking liquids with meals makes you feel too full to eat, limit liquids with meals or drink after meals.
- Consider adding a nutritional supplement at nighttime to avoid feeling full during the day.

Foods I Would Like to Eat More Of:

Complex Carbohydrates

	Whole-grain pasta	Fresh fruits like
	Whole-grain breads	Fresh vegetables like
Protei	ns	
	Lean meats like	Fish
	Eggs	Low fat dairy like
	Milk	Nuts like
Unsat	urated Fats	
	Oils	Seeds like
	Avocado	

Talk to your healthcare provider about the serving size and number of servings you should have at each meal. Learn more at EatRight.org

Weight Management

Your weight can make a difference to your lung health. There are health risks and complications for being overweight or underweight. Talk to your healthcare provider about the ideal weight for you and the ways to either lose, gain, or maintain your weight.



My current weight:

The weight my healthcare provider recommends for me:

The type of diet my healthcare provider recommends for me:

Suggestions or tips from my healthcare provider about my weight:

Depending on your other health conditions, your healthcare provider may recommend you follow a certain diet such as one that is lower in sodium and cholesterol if you have heart disease or meals with less carbohydrates if you have diabetes.

COPD and Physical Activity

The right amount and type of exercise has many benefits to your health. Physical activity and exercise can improve your body's use of oxygen, boost your energy levels, and help to reduce stress, anxiety, and depression. Talk to your healthcare provider about your exercise goals.

Start with adding the type of activities you would like to try and the level of intensity:

Activity one:	Intensity: Light	Moderate	High
Activity two:	_Intensity: Light	Moderate	High
Activity three:	Intensity: Light	Moderate	High

Types of Exercises

In general, aim for a goal of 20-30 minutes of moderate exercise for three to four days a week. Create a weekly activity schedule that includes different types of exercises like endurance, strength and stretching.

Stretching Exercises

Stretching is a good way to warm up before you exercise and cool down after you exercise. It helps increase your flexibility. Depending on the type of stretches you do, you should hold each stretch for 10-30 seconds, slowly breathing in and out. You should repeat these 2 or 3 times. **Some examples of gentle stretching exercises include:**

- Neck rolls
- Side reaches

Endurance Exercises

Walking, jogging, swimming, and biking are examples of endurance exercises. These exercises increase your heart and breathing rate. This type of activity also helps your body use oxygen better, increases your energy level and reduces your shortness of breath.

Upper body

twists

Tips for Walking

- Walk on flat or even surfaces and watch for cracks or potential tripping hazards if you are walking outside.
- If you are starting out, begin by walking at a slow pace and walk a short distance. As you build up your endurance, you can try to increase your pace, walk for a longer time and for a further distance.
- Use pursed lip breathing when short of breath and take breaks as needed.





Chapter 5: Nutrition and Physical Activity

Resistance Exercises

Using free weights and resistance bands makes your muscles stronger which may help you breathe better, give you more endurance and help strengthen your bones. Talk to your healthcare provider about the number of times you should repeat this exercise and the number of sets you should do. On average, do these exercises three or four times a week for optimal results.

Resistance Bands

Resistance bands are elastic, stretchable bands that you can use to build strength.

- Stand with your feet apart or if you are unable to stand, sit in a hard, sturdy chair.
- Holding both sides of the resistance band, raise your hands to chest level.
- As you exhale or breathe out, pull your arms apart, stretching the band out. As you stretch the band out, you should feel pressure in your shoulders. Inhale and keep this position. Breathe out and squeeze your shoulders together.
- As you inhale or breathe in, slowly return to the starting position.

Exercising Safely

There are steps you can take to exercise with care.

- Before beginning or intensifying an exercise plan, talk with your healthcare provider about your goals and any medical advice needed to exercise safely.
- It is important to not overdo it. Exercising for too long or too intensely may cause injury, shortness of breath, and you may feel tired or fatigued afterward.
- Depending on the type of activity, make sure you are keeping your balance. Falls can happen suddenly and can cause serious injury. Use a handrail if you are climbing steps or a walker or cane to maintain your balance.
- Exercise with a friend, family member or neighbor. It is helpful to have someone exercising with you.
- Do not exercise if you are sick, have a COPD flare up or exacerbation, have a fever or infection, or are dizzy or feeling weak.
- Use supplemental oxygen while exercising if it is prescribed by your healthcare provider.
- Talk to your provider about whether using a quick relief medication before you start exercising would be beneficial. Always take your quick relief medication with you when you exercise.
- Take a break and rest if you start to feel out of breath. Use pursed lip breathing while you exercise to reduce shortness of breath.
- Avoid exercising outside on days with extreme temperatures, wind, or other bad weather conditions. Check the air quality and adjust to indoor activities if pollution levels are high.





My Weekly Exercise Program

Create an exercise routine that works for you, and you'll be more likely to stick with it. List the type of exercises you would like to do each week. **Put a check mark under the days of the week you will do each activity.**

Exercise	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Stretching Activity: neck rolls side stretches	\checkmark		\checkmark		\checkmark		
Number of sets: 10 seconds each							
Number of times it is repeated: 2 times each							
Endurance Activity:							
Number of minutes:							
Resistance Activity:							
Number of sets:							
Number of times it is repeated:							
Stretching Activity:							
Number of sets:							
Number of times it is repeated:							

Chapter 6: Living Well with COPD

Breathing requires you to use more energy and you may find yourself with shortness of breath or tiring easily. Breaking down your daily activities into simple tasks is one way to conserve energy throughout the day.

Set Goals for Activities

Set realistic goals for yourself and remember you do not have to complete activities the same way you did in the past. Use the 5 P's and you can conserve energy and get the most out of your day.

- **Pace yourself** Take breaks or rest between activities. Keep a slow and steady pace to avoid rushing. It is important to rest before you become tired.
- **Plan** Space out your activities throughout the week. Break up the "heavy" tasks like doing your laundry, grocery shopping and going to an appointment into activities you complete over several days.
- **Position yourself** Sit or stand upright and avoid bending or reaching excessively whenever possible. Bending or reaching may cause shortness of breath and fatigue. Standing in one position too long may also cause fatigue.
- **Prioritize your activities** Focus on what is important for you to do and what can be done later. Aim to do the activities that are most important or need to be done quickly when you have the most energy.
- **Pursed lip breathing** Use pursed lip breathing exercises throughout your daily activities and if you are getting short of breath.

Waking Up

- Talk to your healthcare provider about when to take your daily COPD medication, especially if you experience symptoms upon waking up.
- Bathe or shower in the evening to avoid additional use of energy in the morning.
- Lay out clothing the night before so you do not have to gather items in the morning.

Bathing and Grooming

- A handheld showerhead, shower chair, tub transfer bench and grab bar are types of assistive devices or durable medical equipment that may make it easier and safer for you to independently bathe or shower.
- Use oxygen while bathing. Place tubing over the shower door or place on the side of the shower curtain.
- Reduce the temperature of the water from hot to warm if hot water or steam causes you shortness of breath. Use a bathroom exhaust fan or

leave the bathroom door or window cracked open. This will help reduce excess humidity and steam.

- Avoid scented soaps or toiletries.
- Use a terry cloth robe instead of a towel after bathing. Sit down when doing your hair, applying makeup or shaving.





Chapter 6 : Living Well with COPD

Meal Preparation

- Plan your weekly meals and create a shopping list.
- When cutting or chopping, sit down during the prep work.
- Rest before cleaning up after meals. Make clean up easier by leaving out dishes to air dry or use a dishwasher if available. Keep frequently used items like pots, pans, utensils and tableware on your stove range or counter instead of in cabinets.

Shopping

- Always bring your quick relief or rescue medicine and enough supplemental oxygen for your entire trip. If you have a portable oxygen concentrator, have extra batteries or chargers in your vehicle.
- Use the mobility device recommended by your health care provider, such as a walker, cane, scooter, or rollator to help you get around.
- Avoid the store's busiest hours because you may spend more time waiting in lines and feel more rushed.
- Limit reaching or bending by asking for help if you need to reach something on a higher or lower shelf.
- Use a shopping cart whenever possible. A cart can help you position yourself upright which may help you breathe better, and you can use it to lean against if you need to rest.
- Research grocery delivery companies in your area. You may be able to have your groceries delivered or shipped to you.
- Ask your friends or family to help with this task or assist with putting away your grocery items.
- Have your frozen or refrigerated items placed together in the same bag. When you get home, make sure that bag gets inside first. The rest of the groceries can wait until later if you are too tired to bring them in.

Intimacy

- Plan time for intimacy when you are rested.
- Experiment with positions and other activities that are intimate, but require less movement and exertion such as caressing, hugging, massaging, and manual stimulation.
- The partner who does not have COPD should make most of the movements.
- If you use oxygen therapy or inhaled medicine, ask your healthcare provider about also using the inhaled medicine before sexual activity or the need to increase your oxygen flow rate. Have your short-acting medicine available, if needed, during sexual activity.







Chapter 6: Living Well with COPD

Identifying Community Resources

Although friends, family and caregivers can assist with some daily activities, you may find you need additional programs or services. If there are activities of daily living that you find difficult completing safely, talk to your healthcare provider about options available to you.

- Ask about a referral to pulmonary rehabilitation to build up your activity level or an in-home assessment by an occupational therapist. An occupational therapist can help you learn tips to manage your everyday activities.
- Talk with your health insurance company about what type of durable medical equipment or supplies are covered under your policy such as a commode, grab bars or a wheelchair.
- Contact your local Agency on Aging for local services and resources that may be available such as meal service programs and transportation.
- Contact local homecare agencies that may offer cleaning services and help with other daily activities.

Questions I have for community service or program providers:

Your Support Team

You are not alone, and it is okay to ask for help. Caregivers, friends, and family may want to help but need guidance from you on the type of help you need most.

Put a check mark next to the activities you need help completing or are more challenging.

Driving (could be to appointments or to go shopping)	
Shopping	
Reminders to take your medication	
Housework (vacuuming, making the bed or doing the laundry)	
Yard work (mowing the lawn, gardening, raking leaves or shoveling snow)	I
Preparing meals	
Helping with daily activities (getting out of bed, dressing, bathing, or showering)	
	S. A.





My Plan to Use the 5 P's

Activity or task that I need help with completing.	Who can I ask for help?	 How can I use the 5 P's to complete the activities? Pace yourself Plan ahead Position yourself Prioritize your activities Pursed lip breathing
Bringing my groceries up the steps after shopping	Bob, my neighbor or his son	 Prioritize bringing up the foods that are frozen or refrigerated. Use pursed lip breathing while walking up and down the steps. Pace myself and take a break, especially if I need to take more than one trip. If I cannot bring up everything, leave the other foods in the car until someone else can help me.

Chapter 6: Living Well with COPD

Activity or task that I need help with completing.	Who can I ask for help?	 How can I use the 5 P's to complete the activities? Pace yourself Plan ahead Position yourself Prioritize your activities Pursed lip breathing

Caregiver Corner

Caregivers are unsung, everyday heroes that often find themselves in this role unexpectedly and without any formal training, education, or guidance.

Caregiving can be rewarding however it can also be stressful. Sit down with your loved one and review the list below. **Check any boxes you can offer as ways to support your loved one.**

Types of support needed	Ways to offer support
Understanding COPD and Deep Breathing Exercises	 Recognizing symptoms Medical tests and procedures and reminders Deep breathing exercises
Healthcare Provider Support and Communication	 Handling communication Scheduling appointments Transporting to and from appointments Attending appointments
Medication	 Offering daily medication reminders Reviewing steps to use medication delivery devices Cleaning and maintaining devices Medication refills
Supplemental Oxygen Support	 Monitor refills Scheduling refills or maintenance on equipment

Chapter 6: Living Well with COPD

Types of support needed	Ways to offer support
Managing COPD	Scheduling and tracking vaccinations
	Supporting their plan to quit smoking
	□ Scheduling pulmonary rehabilitation
	Identifying, reducing, and removing COPD triggers
	Reviewing and developing plans to prepare for disasters and emergencies
	Meal prepping and healthy eating strategies
	Exercising with your loved one
	Helping with daily activities
	□ Starting the conversation about future planning
	Recognizing and responding to COPD exacerbations
	□

Find Support for Yourself

As a caregiver it is important for you to balance your needs and your own health. **Write down the ways you can be supported by others:**

Chapter 7: Airway Clearance Techniques

If you have a productive cough or are coughing up phlegm or mucus, it is important to clear the mucus out of your lungs.

Water can help thin your mucus and make it easier to cough up. Another way to drain extra mucus is by using airway clearance techniques. Talk to your healthcare provider about different airway clearance techniques and when you should be using them.

Huff Cough Technique

The huff cough is a coughing method that helps remove mucus from your airways.






Get started by sitting upright in a chair with both feet on the floor. Take a slow, deep breath through your nose. To exhale, open your mouth and make a "huff" sound in your throat. Huff 2-3 times as you breathe out. Relax and repeat as needed.

When to use:

Instructions:

Postural Drainage

Postural drainage is a technique in which you change your body position to help drain mucus from your lungs. When you lie with your chest lower than your abdomen, it can help drain excess mucus. Use pursed lip breathing while in these positions. When coughing, sit upright and use the huff cough technique.



When to use:

Instructions:

Positive Expiratory Pressure (PEP) Therapy

To use this handheld device, you will exhale into the device. This creates pressure or vibration inside the lungs to loosen mucus. There are several PEP devices and each device may have different settings. Your healthcare provider will tell you which settings to use on the device. They may recommend using this device after you use your medication while your airways are open.



When to use:	,
Setting:	
Instructions:	
Cleaning Instructions:	

Vibrating Vest

A high-frequency chest oscillation vest or vibrating vest fits over your chest. An air generator quickly inflates and deflates the vest. This motion vibrates the chest and helps loosen mucus. Cough to remove the loosened mucus. Vibrating vests may be covered under your medical insurance plan.

When to use:		
Setting:		
Instructions:	 	
Manufacture contact:		

Chapter 8: Planning for the Future

Discuss your wishes for future medical care and end-of-life goals with your loved ones.

Advanced Care Planning

An advance directive includes a healthcare power of attorney and living will.

- Healthcare power of attorney is someone who you know and trust to make healthcare decisions for you if you are unable to do so yourself.
- A living will outlines your end-of-life medical wishes. Your healthcare power of attorney will use your living will to guide their decisions and put your wishes first.

Some states require different forms or documents to be notarized, while others do not. To learn more about advanced care planning, you can contact your local Agency on Aging. If you are a Veteran, you can contact your local Veteran Affairs office for assistance with these documents.

Supportive Care

Comfort care or supportive care is a treatment option that addresses your emotional and physical concerns and focuses on improving your quality of life and reducing symptoms.

There are different types of supportive care options:

- **Palliative care** can begin at any stage of your disease. The treatment focuses on improving your quality of life, managing symptoms, and making sure your wishes and treatment goals are being met.
- Hospice care should be considered if you reach the end stage of your disease. Hospice care is not about giving up but rather about taking control and making choices that are right for you. The medications you take will be reviewed with your healthcare provider to determine if you wish to continue or discontinue using them.

A multidisciplinary team of doctors, nurses, spiritual advisors, nutritionists, and social workers can provide supportive options. It is important to speak with your insurance company for details on your coverage for these services.

What Kind of Care is Right for Me?

The care that will benefit you most depends on where you are in your COPD journey.

Circle the response you mostly agree with to determine what treatment options may be best for you. Then, talk to your healthcare provider about your responses.

1. I would like an extra layer of support while managing my COPD.	Agree	Disagree
2. I want my care to focus on maintaining and improving my quality of life.	Agree	Disagree
3. I want to STOP receiving treatment that is intended to improve my COPD.	Agree	Disagree
4. My healthcare provider told me I have less than one year to live.	Agree	Disagree


Starting the conversation with your healthcare provider and your loved ones about end-of-life care may be difficult. Use the QR codes to watch the video How to Start a Conversation about Palliative Care and Hospice and download the Palliative Care Worksheet or Advanced Lung Care Guide.













Chapter 9: Understanding COPD Exacerbations

Having a COPD exacerbation can be serious and scary. Talk to your healthcare provider about what signs and symptoms to watch for and how to treat an exacerbation.

Zones of the COPD Action Plan

It is important to know the signs and symptoms you experience daily or on a "normal" day. When you know how you feel on a day where your COPD is under control, it will help you recognize when your symptoms are getting worse.



In the green zone, continue to take your daily medication or oxygen as prescribed by your healthcare provider.

Circle the symptoms you experience on a "normal" day or when your COPD is under control.

- Chronic or lingering cough
- Cough that brings up sputum (phlegm or mucus)
- Shortness of breath or dyspnea
- Wheezing or chest tightness
- Fatigue or tiredness
- Other
- Other

It is important, even when you are feeling well, to have regular appointments with your healthcare provider to monitor your COPD.



Yellow Zone

The yellow zone means that you have more COPD symptoms than usual. You should call your healthcare provider if symptoms do not improve after treatment.

A COPD flare up or exacerbation is a sudden worsening of symptoms. The list below includes common signs and symptoms of a COPD flare up or exacerbation. Add in other signs and symptoms you experience during a flare up or exacerbation.

- More coughing
- Changes to the sputum (mucus or phlegm) you cough up which may include color, thickness, or amount
- Difficulty sleeping
- Increased shortness of breath or having a hard time taking a deep breath
- Wheezing or noisy breathing
- More fatigue or tiredness
- •

In the yellow zone, if your medication and treatments are not helping, contact your healthcare provider right away. They may recommend you use your quick relief medication, start a corticosteroid or antibiotic and use pursed lip breathing.



Red Zone

The red zone means that you are experiencing severe COPD symptoms, or a COPD exacerbation. If you are in this zone you should call 911 or seek medical care immediately.

If your symptoms are not improving or are getting worse, seek immediate medical attention.

In the red zone, your symptoms have become serious, and you need immediate medical attention. You may notice that even at rest, you are short of breath. You may also have chest pain, cough up blood or have chills.

Other signs or symptoms that may appear along with your severe COPD symptoms are blue or gray color in your lips, fingertips or nails, racing heart rate, confusion, or fever. You may not be able to sleep or do any activities because of your difficulty breathing.

My Symptom Tracker

Monitor your symptoms over the next two or three weeks. Fill out this chart when you are in the yellow or red zone. Add any symptoms you had and the steps you took based on your COPD Action Plan.

On the next page, check the following boxes that fit how you feel on the days you are in the yellow or red zone:

Yellow zone- your daily symptoms have gotten worse, or you have new symptoms. You may need additional treatment and you should contact your healthcare provider.

Red zone- your symptoms are much worse, and you need immediate medical attention or should call 911.

You can use the symptom tracker to help find any patterns with your COPD symptoms. Bring this tracker to your next healthcare provider appointment.

Chapter 9: Understanding COPD Exacerbations

Day or date	Yellow Zone	Red Zone	Symptoms I had	Steps I took
Sunday 5/12/24	X		l felt out of breath when shopping.	Took my quick relief inhaler.
0,12,21				Used pursed lip breathing.
				Took a break until I felt better.
//				
//				
//				
//				
//				
//				
//				
//				

Chapter 9: Understanding COPD Exacerbations

Recovery from a COPD Exacerbation

After a COPD flare up or exacerbation, it is important to monitor your symptoms and know when to seek additional medical attention. Get lots of rest and allow your body to fully recover.

Allow Yourself Time to Recover

Depending on the severity of your exacerbation, recovery may last a few days to several weeks. During this time, you will need to drink plenty of water and get extra rest.

Your healthcare provider may recommend you take time off work to recover or limit your other obligations. When doing daily activities, pace yourself and rest as you move between activities. This is a time where you will want to conserve your energy and ask your friends, family, and caregivers to help.

Medications

Take your COPD medication and use supplemental oxygen as prescribed by your healthcare provider. Part of your recovery plan may include taking medication to help reduce your fever or additional medication to improve your COPD symptoms. Take the entire course of your medications and do not stop taking medications just because you feel better without first talking with your healthcare provider.

Follow Up with Your Appointments

Schedule a follow up appointment with your health care provider. You may also receive a referral to attend pulmonary rehabilitation, quit smoking or see a pulmonologist. Keep those appointments and follow through with those recommendations.

Follow your healthcare provider's instructions on when to seek additional medical attention after a COPD exacerbation or flare up:

- $\hfill\square$ Worse or returning fever
- $\hfill\square$ Increased shortness of breath
- □ Chest pain

Questions I have for my healthcare provider about recovering from a COPD exacerbation:



Quick relief COPD medication is not helping



Chapter 10: American Lung Association Resources, Programs and Tools

Patient and Caregiver Network

Join our nationwide, online support program that provides direct access to lung disease management tools, education and connection to others living with lung disease. Become a member at Lung.org/PCN.

Better Breathers Club

Attend an in person or virtual support group to learn ways to manage your COPD and get support from others. Find a Club in your community at Lung.org/better-breathers.

Freedom From Smoking® Program

Freedom From Smoking[®] is a virtual or in person tobacco cessation program that has helped more than a million people in the United States end their addiction to nicotine. Join today at Lung.org/FFS.

Inspire Living with COPD Support Community

Build your support network and connect with others living with COPD online at Lung.org/community.

Lung Health Navigator Program

The Lung HelpLine is staffed by expert registered respiratory therapists, registered nurses and tobacco cessation counselors that can answer your lung health questions. Contact the HelpLine or Lung Health Navigator for free at **1-800-LUNG USA** or Lung.org/Helpline.

Lung Health Basics Online Course

The American Lung Association offers a suite of free, online courses to help you understand and manage lung disease. Some of the courses include:

- COPD Basics
- Asthma Basics
- Infectious Disease Basics
- Tobacco Basics

Learn more about all our free courses at Lung.org/training.



· Feeling confused or very drowsy

Chest pains Coughing up blood

My COPD Action Plan

Patients and healthcare providers should complete this action plan together. This plan should be discussed at each visit and updated as needed.

The green, yellow and red zones show symptoms of COPD. The list of symptoms is not complete. You may experience other symptoms. In the "Actions" column, your healthcare provider will recommend actions for you to take. Your healthcare provider may write down other actions in addition to those listed here.

Green Zone: I am doing well today	Actions
 Usual activity and exercise level Usual amounts of cough and phlegm/mucus Sleep well at night Appetite is good 	 Take daily medicines Use oxygen as prescribed Continue regular exercise/diet plan Avoid tobacco product use and other inhaled irritants
Yellow Zone: I am having a bad day or a COPD flare	Actions
 More breathless than usual I have less energy for my daily activities Increased or thicker phlegm/mucus Using quick relief inhaler/nebulizer more often More swelling in ankles More coughing than usual I feel like I have a "chest cold" Poor sleep and my symptoms woke me up My appetite is not good My medicine is not helping 	 Continue daily medication Use quick relief inhaler every hours Start an oral corticosteroid (specify name, dose, and duration) Start an antibiotic (specify name, dose, and duration) Use oxygen as prescribed Get plenty of rest Use pursed lip breathing Avoid secondhand smoke, e-cigarette aerosol, and other inhaled irritants Call provider immediately if symptoms do not improve
Red Zone: I need urgent medical care	Actions
 Severe shortness of breath even at rest Not able to do any activity because of breathing Not able to sleep because of breathing Fever or shaking chills 	 Call 911 or seek medical care immediately While getting help, immediately do the following:

The information contained in this document is for educational use only. It should not be used as a substitute for professional medical advice, diagnosis or treatment. THE AMERICAN LUNG ASSOCIATION DOES NOT ENDORSE ANY PRODUCT, DEVICE OR SERVICE, INCLUDING ANY PARTICULAR COPD MEDICATION OR TREATMENT DEVICE. For more information, visit www.Lung.org or call 1-800-LUNG-USA (1-800-586-4872) © 2015 American Lung Association

General Information Name:		Date:		
Emergency Contact:				
Healthcare Provider Name:		Phone	Number:	
Health Assessment	(Dre dista di	Our man Caturation at I		Tested for Alaba 10
Weight: lbs FEV1 9 Date: Date:				Yes No Date:
General Lung Care				
Flu vaccine		Date received:	Nex	t Flu vaccine due:
Pneumococcal conjugate vaccine (Date received:		t PCV13 vaccine due:
Pneumococcal polysaccharide vac	cine (PPSV23) 🔄 Yes 📋	_		
COVID19 vaccine Yes No Exercise plan Yes No		Tobacco use, includi	<u> </u>	er Past Current
Exercise plan 🗌 Yes 🗌 No		min/day		nonary rehabilitation e last attended:
Diet plan Yes No		Goal Weight:		
Medications for COPD				
Purpose of Medicine	Name of Medi	icine How M	luch to Take	When to Take
My Quit Plan				
Advise: Firmly recommend	quitting tobacco use	Discuss use of me	dications, if appropr	iate:
Assess: Readiness to quit	quitting topacco uco	Freedom From Sm		HelpLine
Encourage: To pick a quit c	lata	Lung.org/ffs)-LUNG-USA
Assist: With a specific cess		aluda matariala, raaaur	and referrels and a	do
-	sation plan that carni	icidde materiais, resour		
Oxygen	Incore		Cleaning	
Resting:		ed Activity:	Sieeping: _	
Advanced Care and Plan				
Advance Directives (incl. Health	ncare Power of Attorr	ney):		
Other Health Conditions				
Anemia Anxiety/Pa				ncer Depression
Osteoporosis GERD/ACI		Disease 🔄 High Blood		omnia 🗌 Kidney/Prostate
IST E				
160 Autor				
546663				



Getting Ready for Your Next Office Visit

Appointment Information

Provider Name:		
Date:		
Address:		
Reason for Visit:		

Other Healthcare Providers I Am Seeing

Name:	Phone:
Reason to see this healthcare provider:	
Name:	Phone:
Reason to see this healthcare provider:	
Name:	Phone:
Reason to see this healthcare provider:	

Prescribed and Over-the-Counter Medicines and Supplements

Name of Drug/Supplement	Dose	Frequency	Prescribed/Recommended by
• • • • • • • • • • • • • • • • • • • •			
•••••••••••••••••••••••••••••••••••••••			; ; ; ; ;
• • • • • • • • • • • • • • • • • • • •			, , , , , , , , , , , , , , , , , , ,
Name of My Pharmacy:			_Phone:

Symptoms I Have Been Experiencing

Coughing	Feeling nervous
Chest tightness	Rapid heartbeat
Wheezing	Head/nose stopped up
Unable to exercise	Restlessness
Feeling tired	Fever
Need to clear throat repeatedly	Stroking chin or throat
Dry mouth	Increased use of quick-relief inhaler
Waking up at night	Other:

How frequently these symptoms occur:

When the symptoms	begin:
-------------------	--------

Things I do to relieve these symptoms:

Additional Concerns and Questions

Next Steps

Notes from my healthcare provider:

Tests to schedule:

Next appointment (Day/Time):



1-800-LUNGUSA | Lung.org

©2017 American Lung Association. All rights reserved.



Getting Ready for Your Next Office Visit

Appointment Information

Provider Name:		
Date:		
Address:		
Reason for Visit:		

Other Healthcare Providers I Am Seeing

Name:	Phone:
Reason to see this healthcare provider:	
Name:	Phone:
Reason to see this healthcare provider:	
Name:	Phone:
Reason to see this healthcare provider:	

Prescribed and Over-the-Counter Medicines and Supplements

Name of Drug/Supplement	Dose	Frequency	Prescribed/Recommended by
••••••			
•••••			
••••••			
			• • • • • • • • • • • • • • • • • • • •
•••••••••••••••••••••••••••••••••••••••			
	•		
Name of My Pharmacy:			Phone:

Symptoms I Have Been Experiencing

Coughing	• • • • • • • • • • • • • • • • • • •	Feeling nervous	
Chest tightness	•	Rapid heartbeat	0 0 0 0 0
Wheezing		Head/nose stopped up	
Unable to exercise		Restlessness	
Feeling tired		Fever	
Need to clear throat repeatedly		Stroking chin or throat	
Dry mouth		Increased use of quick-relief inhaler	
Waking up at night		Other:	• • • •

How frequently these symptoms occur:	

When the symptoms	begin: _
-------------------	----------

Things I	do to	relieve	these	svm	ntoms [.]
11111931	0010	1011010	11030	Syrn	ptomb.

Additional Concerns and Questions

Next Steps

Notes from my healthcare provider:

Tests to schedule:

Next appointment (Day/Time):



1-800-LUNGUSA | Lung.org

©2017 American Lung Association. All rights reserved.

		T
Association	Lung	American

Medication Tracker

Pharmacy Information

Name of Pharmacy:		
Address: City: _	State:	te: Zip:
Phone Number:	Fax Number:	

Work with your care team to fill in the log below:

Remember to cross out any medications you are no longer taking!

Name of Medication
What Is This Medication For?
Date Prescribed
Doctor That Prescribed Medication
How Much? (dose)
How Often?
Directions For Taking Medication
Side Effects

÷
-80
80
õ
Ĭ
\mathbf{r}
NG
ž
2
ъ
-
-
Ē
Вu
<u>o</u>
പ്പ

				Name of Medication
				What Is This Medication For?
				Date Prescribed
				Doctor That Prescribed Medication
				How Much? (dose)
		•		How Often?
		•		Directions For Taking Medication
	<u> </u>	-		Side Effects

American Lung Association.

Medication Tracker

÷
-80
80
õ
Ĭ
\mathbf{r}
NG
ž
2
ъ
-
-
Ē
Вu
<u>o</u>
പ്പ

				Name of Medication
			-	What Is This Medication For?
				Date Prescribed
				Doctor That Prescribed Medication
				How Much? (dose)
				How Often?
				Directions For Taking Medication
				Side Effects

American Lung Association.

Medication Tracker

- T-
Å
-80
0
õ
Ŷ
÷
-
JNGUSA
SŲ
5
S
ъ
_
-
Вu
ng.or
0
4
10

		,					
							Over-the-counter medication
							What is This For?
							what is This For? How Much? (dose)
							HOW Often:
							Taking
							Side Effects

Supplements and OTC Medications Tracker

American Lung Association

List any supplements or over-the-counter medications you are taking

Name of Supplement/

What Is This For?

How Much? (dose)

How Often?

Directions For

Side Effects

Congratulations!

You have successfully completed the Learning to Live with COPD Workbook. We would love to hear more about your experience. The QR code will take you to a brief, 2-minute survey. We appreciate your feedback and thank you in advance for completing the evaluation.



Learning to Live with COPD **Workbook Evaluation**



When you can't breathe, nothing else matters.®

55 West Wacker Drive, Suite 1150 | Chicago, IL 60601 1-800-LUNGUSA | Lung.org